



ifuba T1 toilet partitions

Ifuba T1 toilet partitions

T1 toilet partitions are economical and quick to install. They meet the demand for a toilet cubicle system that is neat in appearance whilst being hygienic and easy to clean.

T1 Toilet Partitions may be finished in a variety of shades of Melawood or Formica.

Non-standard sizes can be made to measure and door openings can be adapted for wheelchairs or special needs.



quick installation, versatile and hygienic

Ifuba T1 toilet partitions

are designed for ease of installation and **maximum durability**. The ergonomic suite is made up of Intermediate and end partitions, doors and pilasters that are **framed aluminium** with channels.

The system is furnished with a full set of quality ironmongery. Partitions are fixed 151mm above

the finished floor level for **easy cleaning**.

44mm aluminium skirting at the base of the pilasters **prevents** possible **water contact** with the base of the pilaster.





system components and installation

infill panels

Are either 16mm Melawood or 16mm particle board clad with Formica.

framing

Intermediate and End Partitions, Doors and Pilasters are neatly framed in 22mm x 22mm aluminium lipped channel and mitred at corners.

skirting

44mm high aluminium skirtings are formed at the base of the Pilasters by fixing a 22mm x 22mm inverted channel to the floor before fixing the Pilaster in position. This prevents possible water contact with the base of the pilaster.

steel feet

At a nominal height of 150mm this adjustable foot assists with uneven floor surfaces and can be used as an alternative to the standard floor length pilaster.

transom




The system is stabilized with a robust 40mm aluminium transom that is interchangeable with the HPL Ifuba T2 Toilet Partition System.

ironmongery to doors

Each door is supplied with a pair of satin finished hinges, indicator bolt & keep and hat & coat hook with rubber buffer, which serves as a door stop. The Pilaster frame against which the door strikes, is fitted with two rubber buffers.

ironmongery to partitions

Intermediate and End Partitions are supplied with toilet roll holders.






ironmongery



nominal 150mm adjustable steel foot



anti-theft toilet roll holder




satin chrome indicator (inside)



bolt and special keep (outside)




hat and coat hook with rubber buffer




aluminium hinge with nylon bushes




rubber buffer




aluminium components




transom




receiving channel



lipped channel surround



unlipped channel surround



corner post



cleaning space

The Intermediate and End Partitions are fixed 151mm above the finished floor level to allow easy cleaning.

junction at walls

In order to prevent gaps between uneven tiles and walls and the system components, Partitions and Pilasters are fixed to the walls as follows: A 26 x 24mm (22 x 22mm I.D.) full height aluminium receiving channel section is fixed vertically to the tiles or plastered brick wall. The Intermediate or the End Pilaster, all complete with aluminium lipped channel surrounds (22 x 22mm O.D), are then slotted into the full height receiving channel and fixed plumb.

Designed for ease of installation & maximum durability

specify ifuba T1 toilet partitions

Toilet Partitions are to be 'Ifuba T1 Toilet Partition System' comprising of 16mm thick particle board panels, laminated both sides with Melawood or Formica (specify colour), edged all round with 22mm x 22mm aluminium lipped channel and fixed into position by means of vertical aluminium receiving channels fixed to the abutting wall, floor or Pilaster. Pilaster and End Partition are stabilized by continuous 32mm x 40mm aluminium transom section over doors and supplied with a complete set of standard ironmongery comprising of indicator bolts, hat and coat hooks, door stop, toilet roll holders and rubber buffers. Aluminium surrounds, receiving channels and transom sections shall be (specify colour - natural anodised / colour anodised / colour powder coated).

End Partition	1830 x 1500 / 1830 x 1800	- qty
Intermediate Partition	1830 x 1500 / 1830 x 1800	- qty
Intermediate Pilaster	1981 x 230	- qty
End Pilaster	1981 x 115	- qty
Doors (Including ironmongery)	1762 x 762 (nominal)	- qty



Bunju Depot, Plot No. 97, Block 6
(Near Moga School, 500m from the junction
of old Bagamoyo Rd)
Bunju, Kinondoni, Dar es Salaam

tel: +255 22 240 0731
fax: +255 22 240 0732
cell: +255 756 444 214
+255 754 267 297

P.O. Box 36208, Dar Es Salaam, Tanzania